

The background of the entire image is a close-up, high-resolution photograph of a wood grain. The wood has a warm, medium-brown tone with visible horizontal grain lines and some darker, more textured areas. The lighting is soft and even, highlighting the natural texture of the wood.

tokono

ELEVATING CRAFT



tokono

ELEVATING CRAFT

We find its origin in the Japanese tradition: **Tokonoma**.
A simple, sacred space where a single object is presented.
Not as decoration, but as a tribute to craftsmanship.

Not to make it more beautiful,
but as a ritual of curation,
attention, and presence.



WALL

TOKONO WALL


The built-in cabinet by Tokono is a masterclass in discretion. Seamlessly integrated into a refined interior and finished in brushed metal, it blends effortlessly into the architecture of the space. What first appears to be a sculptural wall reveals, upon opening, a perfectly controlled climate for cigars, wine or other fine delicacies.

This cooling unit unites maximum functionality with minimalist design — ideal for high-end interiors where technology must remain invisible, but perform flawlessly.


COLORS



NICKEL



TIN



BRONZE



SPANISH
CEDAR





COMBINE COLORS

Tokono Wall is finished with exclusive hand-applied metal coatings.

Both the interior and exterior can be customized in **Nickel**, **Tin**, or **Bronze**, allowing refined colour combinations that reveal craft from every angle.


The result is not surface, but soul.



tokono



tokono



SPECS

MATERIAL

All Tokono HUMIDORS are crafted from **stainless steel and Spanish Cedar**.

DIMENSIONS

Outer Dimensions: 2451 mm (H) × 861 mm (W) × 724 mm (D)

Weight: 310 kg

COOLING & FILTRATION

Cooling (18 – 21 °C) and humidification (65 – 70 %) ensure a stable climate inside the humidor, preserving the cigars' quality, flavor, and aging potential.

Spanish cedar helps stabilize humidity levels, enhances cigar aroma, and naturally repels tobacco beetles.

ELECTRICAL REQUIREMENTS

Power Supply: 220–240 V, 50/60 Hz



REFINEMENT BEGINS WITH ATTENTION.

We are happy to offer you personalized advice on our products and the possibilities within your project. Feel free to contact us for an introduction or a tailored proposal.



**Find an official
dealer near you**
www.tokono.be/wall

Tokono

Posterijlaan 47, 8740 Pittem BELGIUM

0032 51 48 96 69 | info@tokono.be | www.tokono.be



@tokono_elevating_craft



[linkedin.com/showcase/tokono_elevating_craft](https://www.linkedin.com/showcase/tokono_elevating_craft)

tokono

